



CATALOGUE KAPSEA



EDITION 2018

www.connectiled.com



RETROFIT LIGHTING

Ideal solutions to switch from traditional lighting to LED lighting.

SWITCHBELL II

0.8

OUTDOOR LIGHTING

Robust and reliable products designed to withdraw extreme environment issues.

	ĮZIG+	
٧	IZIG+S	
٧	TITANEX	
	VIIK	
	EMERA	
	AKENA PRO	
	KHAN	
	KAMON+	

MARINE LIGHTING

Sturdy and highly impermeable products designed specifically to endure rough and saline conditions

NEW SEAZIG

NEV

2

URBAN LIGHTING

Resistant and solid lightings created to ensure the best security on the road while respecting the environment

NEW	SOLAAR	25	
	IZIG+ V-STREET	27	
NEW	FLIPSIA	28	





COMMERCIAL & INDUSTRIAL LIGHTING


BLACKBELL+ NEW

BLACKBELL

FLATBELL+

PARKOS+

MIRAJ



This high efficiency high bay is easy to install, thanks to its junction box, and offers a wide range of accessories and reflectors, and some will let you light up your ceiling to give the feeling of a bigger room.

The perfect product for industrial projects.

100W

Lumen output

150W

14000 lm 21000 Im

230W

32200 lm

BLACKBELL+ 100 | BLACKBELL+ 150 | BLACKBELL+ 230 | BLACKBELL+ 280

280W

42000 lm



Power

100-277V 180-277(230W) 277-480V



IP65



IK09





4000K-5700K



CRI >70



>50,000 h



Lumileds Luxeon 3030



HOOK



HANGING ROD



BRACKET MOUNT



ALU REFLECTOR



PC REFLECTOR




PC REFLECTOR + CDL



PC REFLECTOR + DLR







BLACKBELL

The BLACKBELL is perfect to replace your traditional HID lighting. Easy to install, sturdy, it offers all the qualities you are looking for in industrial lights.

BLACKBELL 50

Power 50W

Lumen output 5500 lm

BLACKBELL 100

100W 11000 lm



100-277V



IP65



IK08



120°



3000K-5700K



CRI >80



>50,000 h



Lumileds Luxeon 3030



60° ALU REFLECTOR



120° ALU REFLECTOR



60° PC REFLECTOR





FLATBELL+

The FLATBELL+ offers a clean design and is highly efficient; the PC cover offers a competitive solution, whereas the TIR lenses version offers a more focused light for higher lux results.

FLATBELL+ 100

100W

90° PC Multi Lenses 12000 Im 11800 lm

110° PC Cover

FLATBELL+ 150

150W

17500 lm 16800 lm

FLATBELL+ 220

220W 25000 lm



Power

Lumen output

100-277V



IP65



IK09



90° / 110°



3000K-5700K



CRI >80



>50,000 h



Lumileds Luxeon 3030



BRACKET MOUNT





PARKOS+

PARKOS+ offers the easiest installation, thanks to its fast connection system on both sides. It is waterproof, robust, and with a unique and lean design, it will brighten nicely any and every area.

PARKOS+ 35

35W Power

4000 Im Lumen output

PARKOS+ 40

40W

4000 Im

PARKOS+ 45

45W

6000 lm

PARKOS+ 60

60W

6000 Im



AC85-265V









☑ OPTION DAYLIGHT SENSOR



3000K-6000K



CRI >80



>50,000 h





☑ OPTION MICROWAVE







MIRAJ

Lighten your parking with this robust canopy, save money with the motion sensing options. Every parking will feel safe, and no more wasted energy consumption.

MIRAJ 45

45W Power 5000 lm Lumen output

MIRAJ 80

80W 9000 lm



100-277V



IP65



IK09



110° x 110°



3000K-5700K



CRI >80



>50,000 h





DAYLIGHT SENSOR



SYNCHRONIZATION



HOLD TIME



AUTOMATIC DIMMING




MICROWAVE SENSOR





RETROFIT LIGHTING

SWITCHBELL II





SWITCHBELL II

Replace your high cost, high maintenance, low efficiency lighting system with our retrofit LED solution. Our SWITCHBELL II fits into standard E40 sockets.

SWITCHBELL II 50

Power 50W Lumen output 6600 Im

SWITCHBELL II 100

100W 12500 lm



100-277V







E39/40



CCT 3000K-5700K



CRI >80



>50,000 h









OUTDOOR LIGHTING

NEW

IZIG+

IZIG+S

TITANEX NEW

VIIK

EMERA

AKENA PRO

KHAN

KAMON+







IZIG+

This is our most iconic floodlight, simple yet efficient, nice looking yet sturdy. The IZIG+ is the perfect light for your outdoor environments. Every detail has been refined to make sure you can use it intensively for a very long time.

IZIG+ 15

Power 15W

Lumen output 1600 lm

100-277V

IP66

3500 lm

30W

IZIG+ 30

IK09

IZIG+ 50

50W

6000 lm



90° x 120°



CCT 3000K-5700K



CRI >80




>50,000 h



Lumileds Luxeon 3030

ACCESSORIES





CONNEX



Pure ADC12 aluminium, Polycarbonate from Japan, Epoxy potted driver, up to C5M powder coating, Stainless Steel Bracket, long lifespan LED chips, optimized heat dissipation, thick fins... The IZIG+ S is built to resist, and built to last.

IZIG+S 100

100W Power 13500 lm Lumen output

100-277V

IZIG+S 150

150W 20300 lm | IZIG+S 230

230W 30500 lm IZIG+S 300

300W 39500 lm

TYPE II (90°x120°)

TYPE II (Asymmetrical) TYPE III (Asymmetrical)

TYPE IV (Asymmetrical)

CCT 3000K-5700K



CRI >70

IP66




>50,000 h

IK10




Lumileds Luxeon 3030

ACCESSORIES



180-277V(230W)



SLIPFITTER MOUNT





TRUNNION MOUNT

YOKE MOUNT





The TITANEX is the most powerful light in our catalogue, delivering 52,000 lumens at 400W. Its aluminium casing and cooling design ensures a long lasting light, even after long sunny days, you can power them all night, and for many nights to come.

TITANEX 400

Power 400W Lumen output 52000 lm



100-277V



IP65



IK09



TYPE II (90°x120°) TYPE II (Asymmetrical) TYPE III (Asymmetrical) TYPE IV (Asymmetrical)



CCT 3000K-5700K



CRI >70




>50,000 h




Lumileds Luxeon 3030

ACCESSORIES









TRUNNION MOUNT



With its small size, yet powerful narrow beam, VIIK is the perfect outdoor spotlight to put in narrow spaces and show off what's important to you.

Power Beam angle 30° Lumen output Beam angle 60° Lumen output

VIIK 28 28W 2900 lm 2800 lm

VIIK 42

42W

4300 lm



100-277V



IP66



IK09



30° / 60°



CCT 3000K-5700K




CRI >80



>50,000 h



Lumileds Luxeon 3030









EMERA

The EMERA is a very unique wallpack in our range, it plays with shadows and light. the EMERA casts narrow beams both upward and downward. Perfect to give a great outlook to its surroundings.

EMERA 10

Power 10W 1100 lm Lumen output

EMERA 30

30W 3300 lm



100-277V



IP65



30° / 60°



CCT 3000K-5700K



CRI >80



>50,000 h



Luminus cxm gen3



The AKENA PRO has undergone remarkable improvements from the original AKENA version. More efficient, more focused, and with its key feature remains, the possibility to adjust the orientation of the lighting on the go.

AKENA PRO 12


12W Power Lumen output 1200 lm 100-277V Input voltage

AKENA PRO 30

30W 40W 3100 lm 3900 lm 100-277V

AKENA PRO 40-HV

347-480V



AKENA PRO 50 I

Power 50W Lumen output 5100 lm 100-277V Input voltage

AKENA PRO 80

80W 8800 lm 100-277V

AKENA PRO 100-HV

100W 11900 lm 277-480V

AKENA PRO 120

120W 14000 lm 100-277V





IK10



80° x 100°



CCT 3000K-5700K



CRI >80



>50,000 h







of commercial buildings, terraces, stairways etc...

KHAN 50

50W Power 5600 lm Lumen output 100-277V Input voltage

KHAN 80

80W 8800 lm 100-277V

KHAN 80-HV

80W 8500 lm 347-480V







\ 140° x 110° or 110° x 90°



CCT 3000K-5700K



CRI >80



>50,000 h





KAMON+

The biggest wallpack in the family, it is powerful, highly efficient, and robust. Most noticeable is the unique lens design, which orients the light beam downward, limiting glaring and light pollution.

KAMON+ 28	KAMON+	36-HV	KAMON+	50
-----------	--------	-------	--------	----

 Power
 28W
 36W
 50W

 Lumen output
 3500 lm
 4400 lm
 6500 lm

 Input voltage
 100-277V
 347-480V
 100-277V

KAMON+ 80 | KAMON+ 80-HV | KAMON+ 120 | KAMON+ 120-HV

 Power
 80W
 120W
 120W

 Lumen output
 9800 lm
 10000 lm
 14700 lm
 15500 lm

 Input voltage
 100-277V
 277-480V
 100-277V
 277-480V









MARINE LIGHTING

SEAZIG







SEAZIG

The SEAZIG comes with a specific C5M coating, wide and thick cooling fins, and a SS304 stainless steel bracket, all of this will ensure the best durable corrosion resistance. It is highly resilient in vibrating environments, and is EMC compliant for boats. The low wattage version is available with either AC or DC power input.

Low Wattage

	SEAZIG 15	SEAZIG 30	SEAZIG 50	SEAZIG 100
Power	15W	30W	50W	100W
Lumen output	1600 lm	3500 lm	5500 lm	11500 lm



100-277V







90° x 120°



3000K-5700K



CRI >70



>50,000 h





High Wattage

SEAZIG 150

150W Power 20300 lm Lumen output

SEAZIG 230

230W 30500 lm SEAZIG 300

300W 39500 lm



100-277V







TYPE II (90°x120°) TYPE II (Asymmetrical)

TYPE III (Asymmetrical)
TYPE IV (Asymmetrical)



CCT 3000K-5700K



CRI >70



>50,000 h









URBAN LIGHTING

SOLAAR


NEW

IZIG+ V-STREET

ELIPSIA

NEW







SOLAAR

SOLAAR, one light package where everything works together for the best light, for our customers, and for our planet.

LED Module:

Over 200lm/W on a rotating support, efficient and easy to set up.

Solar panel:

Monocrystalline Silicone technology offering over 20% photoelectric conversion, and once again thanks to the one package solution, it is easy to install. The solar panel power production is 80% higher than the high efficiency LED power consumption; this ensures that the battery is fully charged before dawn.

Battery:

LiFePO4 technology, ensuring rated for over 2000 charge cycles, TWICE as much as standard LiPO batteries. The promise of a long lasting light.

They also pack enough capacity to last up to 13 hours on each full charge.

Casing:

Pure aluminium with a "one fits all" mounting system, ensuring that you only need one fixture to fit all different mounting configurations, with the proper mounting accessory.

Light Management:

The light can be controlled via schedule timing, ambient lighting and motion sensing.



SOLAAR 8

8W LED nominal power 1600 lm Lumen output Solar panel power rating 18V 17W 9000 mAh Battery capacity LiFePO4 Battery technology

Charge cycle ≥2000 cycles

SOLAAR 20

20W 4000 lm 18V 36W 20000 mAh LiFePO4

≥2000 cycles

SOLAAR 30

30W 6000 lm 18V 52W 30000 mAh LiFePO4 ≥2000cycles







70° x 150°



CCT 3000K-5700K



CRI >70



Lumileds Luxeon 5050



AMBIANT LIGHTING



MICROWAVE SENSOR



TIME SCHEDULE

ACCESSORIES











STRAIGHT SLIPFITTER

TRUNNION

TRUNNION -ROUND POLE

TRUNNION -SQUARE POLE







IZIG+ V-STREET

The IZIG+ V-STREET proposes a high lumens efficiency, it is compact and robust, which makes it the perfect ally to withstand extreme weather in public places and other inconvenience related to urban spaces.

IZIG+ V-STREET 50

50W

Lumen output 6000 lm

IZIG+ V-STREET 80

80W

9600 lm

IZIG+ V-STREET 100

100W

13500 lm

IZIG+ V-STREET 150

Power 150W

Lumen output 20300 lm

IZIG+ V-STREET 230

230W

30500 lm

IZIG+ V-STREET 300

300W

39500 lm



Power

100-277V 180-277V(230W)



IP66



3000K-5700K



CRI >70



IK10



TYPE II (90°x120°)
TYPE II (Asymmetrical)
TYPE III (Asymmetrical)
TYPE IV (Asymmetrical)



>50,000 h









ELIPSIA

When style meets robustness.

The ELIPSIA, and its wide range of mounting accessories and colours, will perfectly fit its surroundings, whether it is a public park, a garden, a square, or any other area.

FΙ	IPS	Α	40	-	ł۷
		_	$\neg \cup$		ıv

Power Lumen output Input voltage

40W 5000 lm 347-480V

ELIPSIA 45

45W 5800 lm 100-277V

ELIPSIA 100-HV

100W 12000 lm 277-480V

ELIPSIA 100

100W 12000 lm 100-277



IP65



IK08





CCT 3000K-5700K



CRI >70



>50,000 h




Lumileds Luxeon 3030



TOP MOUNTING ON 1 ARM



TOP MOUNTING ON 2 ARMS



LATERAL FIXATION ON A ROUND POLE



CONNECTILED 96 Bis rue des Cicottées 37550 Saint-Avertin

WWW.CONNECTILED.COM

Nous suivre sur les réseaux







